

HYPERTURN 110



ORDER NOW

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TAILSTOCK

TOOL TURRET

TOOL TURRET 2

GENERAL DATA

Travel in X/Y/Z

With B axis (X1/X2/Z1/Z2): +540/-10 / 300 /
1300/1900 / 1340/1940; with tool turret
(X1/X2/Z1/Z2): 340 / 300 / 1340/1940 / 1340/1940

Max. turning diameter

710 mm

Distance between centers

1700 / 2300 mm

Spindle bore hole

125 mm

Swing over bed

720 mm

Rapid motion speeds in X/Y/Z

1181 / 590 / 1181 ipm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

Max. speed

2500 rpm

Max. drive power

52 kW

Spindle nose

A2-11

Max. torque

2480 Nm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

Max. speed

2500 rpm

Max. drive power

42 kW

Spindle nose

A2-11

Max. torque

1040 Nm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TAILSTOCK

Quill diameter

150 mm

Travel (automatic)

1100 / 1600 mm

Inner cone

MT 5

Quill travel

150 mm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TAILSTOCK

TOOL TURRET

VDI size

40 mm

Driven tools

12

Max. drive power

10.5 kW

Number of tools

12

Max. speed

3000 rpm

Max. torque

40 Nm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TAILSTOCK

TOOL TURRET

TOOL TURRET 2

VDI size

40 mm

Driven tools

12

Max. drive power

10.5 kW

Number of tools

12

Max. speed

3000 rpm

Max. torque

40 Nm

TECHNICAL DATA

Dimensions (LxWxH)

7600 x 2550 x 2800 mm

Machine weight

16500 kg

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TAILSTOCK

TOOL TURRET

TOOL TURRET 2

GENERAL DATA



Main Menu

[About Us](#)
[Products](#)
[Services](#)
[Blogs](#)
[Contact us](#)

Our Products

[CNC Machining Solutions](#)
[Cutting Tools](#)
[Metrology Solutions](#)
[3-D printing](#)
[Diamond Tooling Solution](#)
[Industrial Training](#)

Useful Information

[!\[\]\(cbd8541a32dfc32f356f5c6c994b0a21_img.jpg\) WHP2-Block-A Commercial,13-0, P2AG-
H03 Office Saih Shuaib 3
Dubai, United Arab Emirates
PO Box 127104 \(U.A.E\)](#)
[!\[\]\(a017f927204f44da2afc19329f6c4977_img.jpg\) +971-54-768-7456](#)
[!\[\]\(b6ea0cb221b83f6105efc9299160a0ba_img.jpg\) info@taqneea.com](#)